

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
8 April 2004 (08.04.2004)

PCT

(10) International Publication Number
WO 2004/029835 A2

(51) International Patent Classification⁷: **G06F 17/30**

SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(21) International Application Number:
PCT/IB2003/003660

(22) International Filing Date: 18 August 2003 (18.08.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02078955.8 24 September 2002 (24.09.2002) EP

(71) Applicant (for all designated States except US): **KONINKLIJKE PHILIPS ELECTRONICS N.V.** [NL/NL];
Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **VIGNOLI, Fabio** [IT/NL]; c/o Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). **LASHINA, Tatiana** [BY/NL]; c/o Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

(74) Agent: **GROENENDAAL, Antonius, W., M.**; Philips Intellectual Property & Standards, Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC,

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:


— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SYSTEM AND METHOD FOR ASSOCIATING DIFFERENT TYPES OF MEDIA CONTENT



(57) Abstract: The invention relates to a system for operating with different types of media content, the system being arranged to enable a user to use a first content of a first type. The system comprises identifying means (120) for identifying that the user concurrently uses a second content of a second type, said second content being unrelated with the first content, and associating means (210) for associating said second content with the first content. The invention also relates to the method of operating with the different types of media content.

System and method for associating different types of media content

The invention relates to a system for operating with different types of media content, the system being arranged to enable a user to use a first content of a first type.

The invention also relates to a method of operating with different types of media content, the method comprising a step of identifying a user's usage of a first content of
5 a first type.

Document US2002/0002564A1 discloses data processing means for viewing, playback and delivery of continuous audiovisual data, media content such as motion pictures,
10 video programs, audio programs, etc. The media content, e.g. MPEG-1 system stream or other format, and description data describing audio and video content are received by said means from outside, or said content and data can be stored in a database from which they can be retrieved. The description data are expressed through the use of, e.g. Extensible Markup Language (XML) whose standardization is pursued by the World Wide Web Consortium.
15 The description data describe parameters of the audio and video content such as a title, caption, priority, location, start time, end time, etc. Video and audio streams of the media content are mutually synchronized and provided to video playback means and audio playback means. The media content is further rendered for the user. In the known data processing means, the user may request or disable simultaneous rendering of the provided audio and
20 video contents. The user may choose to be provided with only the audio part or only the video part of the available media content.

In the known data processing means, the audio and video contents correspond to each other because they are received together from a content provider, e.g. a TV broadcaster or the like. At the same time, the user may like simultaneous rendering of media
25 contents which are not related by the content provider. It is a drawback of the prior art that user's preferences with respect to rendering the different contents are not taken into account.

It is an object of the present invention to provide a system for operating with different types of media content of the kind defined in the opening paragraph which does take into account the user's preferences with respect to simultaneous rendering of the different contents.

5 The object of the invention is realized in that the system comprises identifying means for identifying that the user concurrently uses a second content of a second type, said second content being unrelated with the first content, and associating means for associating said second content with the first content.

10 The contents of different types, e.g. audio and video, which are not associated by any reference in any way in the system may be related in the user's mind. For example, the user may like simultaneous rendering of some contents of the different types, or the combination of the contents may carry the user back to some life experience, or the like. The system comprises identifying means and associating means for "registering" the relationship between such contents in the system. The identifying means identifies that the user uses, e.g.
15 watches, listens to, etc, a first content of a first type and, possibly in a different way, a second content of a second type at the same time, wherein said first and second contents are not related in the system. The associating means associates said first and second contents to enable the system to exploit this relationship.

20 One of the advantages of the present invention is that the user does not have to explicitly instruct the system to relate such contents because it may be done automatically and transparently for the user without hindering the user's usage of said contents. Another advantage is that the links between contents are made personal to the user of the system, which is not possible when the contents, e.g. a TV program or a movie which usually include audio and video, are obtained from the content provider.

25 The object of the present invention is also realized in that the method of operating with different types of media content further comprises a step of identifying that the user concurrently uses a second content of a second type, said second content being unrelated with the first content, and a step of associating said second content with the first content. The method describes the functioning of the system of the present invention.

30

These and other aspects of the invention will be further elucidated and described with reference to the accompanying drawings, wherein:

Fig. 1 illustrates the general scheme of the present invention;

Fig. 2 shows a functional block diagram of the system suitable for implementing the present invention;

Fig. 3 shows an example of the associated contents of different types and the relationship between them;

5 Fig. 4 shows an example of a time sequence of the user's usage of different media contents;

Fig. 5 shows an embodiment of the method of the present invention.

Throughout the Figures, the same reference numerals indicate identical or corresponding components.

10

Many people today use a lot of media content. People watch, listen, browse different audio and video information, as well as create their own media content, e.g. by voice recording, taking pictures using a camera, making a home film, etc. Various consumer electronic devices 110 such as a television set (TV set) with a cable, satellite or other link, video cassette recorder (VCR), home stereo, internet broadcasts, world wide web, portable and stationary radio, CD player, personal digital assistant (PDA), etc. can be used for these purposes, as is shown in Fig. 1. Each of these devices may have a user interface used to obtain, select, record, play, etc. the media content. Any one of the consumer electronic devices allows the user to use at least one media content, and some of these devices may output or input at least two contents of different types. The system according to the present invention comprises identifying means 120 for identifying that the user concurrently uses at least two contents of different types, whereas these contents are not unrelated in the system, e.g. the system does not include data indicating the relation between said contents. Such identifying means 120 may be any means capable of monitoring user's activities in the system, e.g. a monitoring camera connected to a dedicated data processing unit which is arranged to analyze the user's behavior by processing data obtained from the camera, said data processing unit may be a part of the consumer electronic device rendering the media content.

30 One or many media devices capable of outputting and/or inputting the media content may be included in the system. When a plurality of such devices is included, they may have means (not shown) for communicating with each other, e.g. the devices may be connected into a network. The communication means may be arranged to obtain information about the user's usage of the content from each of the devices, and recognizing individual

devices providing said information. For example, each device outputs to the communication means its identification and information pertaining to the contents used by the user, e.g. the type of the used content(s) which may be one of predetermined types in the system, etc. Further details which concern functioning of the identifying means will be apparent to the person skilled in the art.

The media content may basically comprise at least one or any combination of visual information, audio information, text, data describing the media content or its reproduction, or the like. The expression audio data, or audio content, is hereinafter used as data pertaining to audio comprising audible tones, silence, speech, music, tranquility, external noise or the like. The expression video data, or video content, is used as data which are visible such as a motion picture, static image, characters etc. The user device may be arranged to obtain the media content stored on different carriers such as, audio tapes, video tapes, optical storage discs, floppy and hard drive disks, etc. in any format, e.g. MPEG (Moving Picture Experts Group), MIDI (Musical Instrument Digital Interface), Shockwave, QuickTime, WAV (Waveform Audio), etc. The content may also be broadcast by a content provider, e.g. TV or radio, to be received by the user devices rendering said content for the user. The user may use the media content at home, public places, in public transport and so on. Examples of the different types of content may be a playlist of songs or music, moving pictures, still images or sets of the still images, e.g. an image slide, animation, text, meta-data related to the media content, etc. For instance, the meta-data may define the radio content, e.g. radio stations and the most frequently broadcast content that is available in the user's living area, the different kinds of playlists for setting up a collection of the media contents. The meta-data may, for example, include the music playlist, e.g. in which the next song is started when the current one ends, the radio station or television channel playlist, e.g. comprising a collection of favorite channels to watch or surf through.

With reference to Fig. 2, a functional block diagram of the system of the present invention is shown. The system 200 comprises the identifying means 120 and associating means 210 for associating said two or more contents, simultaneous use of which is identified by the identifying means 120. The identifying means outputs to associating means the information concerning the contents concurrently used in the system. The associating means may be arranged to establish data which link said associated contents, such as meta-data comprising the information pertaining to a relationship between the associated contents. In one example, the meta-data may include information about the associated contents such as a name/title, source of or link to the contents, e.g. identification of the

device(s) used for rendering the content; observed user's behavior during the use of the content(s), e.g. types of the user's behavior like watching, listening, etc. may be predetermined, whether or not the user initiated the content rendering, date, start and/or end time of the content usage, duration of rendering, etc. as is shown in Table 1. Of course, some of the information included in the meta-data may be obtained from the identifying means 120.

TABLE 1

No	Name/title	Source/link	User's behavior	Initiated by user	Start date/time	Duration	Rating
n-1							
n	"Content A"	PC: D:\clips\clipN	Watching	Yes	07/07/02 01:30p.m	00:29:37	0,5
	"Content B"	Radio: songN	Disregard	No	07/07/02 01:36p.m		
n+1	"Content C"	PC: C:\video\fragmentN	Watching	Yes	09/07/02 06:12p.m	00:12:13	1,0
	"Content D"	CD-player: Disc"AlbumA"\trackN	Listening	Yes	09/07/02 06:06p.m		
n+2							

The associating means may be arranged to associate the contents automatically or to communicate information pertaining to the contents to the user for obtaining his/her approval for associating these contents. The system may also simply notify the user about associating the corresponding contents.

The system may optionally comprise storage means 220 arranged to store the meta-data, selection means 230 arranged to select the content, output means 240 arranged to output the associated contents, and rating means 250 arranged to rate the associated content.

The meta-data may be implemented in any standard data structure or database, any language, e.g. XML, and include any amount of information about the associated contents which is sufficient to distinguish them. In one example, the meta-data may be stored in the storage means 220 together with the corresponding contents, e.g. in a header of the corresponding media data. The new meta-data may be established whenever some contents are associated by the associating means. Thus, a plurality of meta-data records may be stored by the storage means.

Given meta-data storing information about two associated contents, the selection means 230 may be arranged to identify the first content upon selection of the associated second content, and vice versa. Thus, the system can always find all associated contents if one of them is selected and the relationship between these associated contents has been established. The output means may be arranged to play, reproduce, etc. the associated contents simultaneously.

The selection means may be further arranged to function as a recommender of the media content. The recommender may exploit the meta-data for recommending the content in accordance with the user's preferences. In that way, the recommendations can be personalized for the user.

The recommender may be arranged to recommend the associated contents if the user selects one content and likes to be recommended with another content of different type in accordance with his/her preferences. The recommender may be further arranged to recommend contents correlating to one of the associated contents e.g. having a similar subject, topic, category, genre, etc. For example, if the song and clip are associated, the recommender may recommend, upon the selection of the clip, the associated song and other songs which are similar to the associated song.

The recommender may be arranged to recommend the content on the basis of ratings provided by the rating means 250. The meta-data may be interpreted in different ways for rating them, e.g. as an explicit or implicit feedback from the user. For example, the media contents may be considered as explicitly associated by the user if the user has explicitly initiated reproduction, or the other way of a user's consumption, of both media contents, e.g. user's requests for rendering the contents were inputted to the system. The rating means 250 may highly rate such association of the contents, or a high reliability may be assigned to such

an association. As shown in Table 1, the (N+1) meta-data record indicates that the user initiated displaying the video content C and playing the audio content D. Therefore, the contents C and D are associated with the maximum rating, for example with one point as a maximal possible rating. If one of the contents was not explicitly chosen for rendering or using it otherwise by the user, then the association of these contents may be rated to be lower or given less reliability. For example, in Table 1 the contents A and B are associated with a rating lower than the rating of contents C and D, namely with 0.5 point out of 1, because the content B, a song, was played on the radio, and the user did not initiate this.

Other criteria for evaluating the association of the contents may be used by the rating means. For example, the association of the media contents may also be influenced by the user's behavior during simultaneous rendering of the content, a user's reaction for initiating simultaneous rendering of the contents when it was started by the system itself, and so on. Other parameters and characteristics of the associated contents, user's usage of the associated contents, etc. may be stored in the meta-data and used for their rating.

In a further embodiment, the rating means may rate the associated contents depending on the number of times of using the associated contents simultaneously. For instance, if the contents were often used together, they are given a high rating.

In a further embodiment, if the first content is associated with the second content and with a third content, the rating means may be arranged to rate said associations of the first content with the second content, and the first content with the third content differently. For example, the association of the first content and second content may be rated to be higher if the first content was more often used with the second content than with the third content. In another example, the association of the first content may be rated to be higher with the second content if the simultaneous usage of the first and second contents is more recent than the usage of the first and third contents. Thus, such associated contents are rated to be higher if they were recently used.

An example of associated contents is shown with reference to Fig. 3. Content "audio 1" 310 is associated with content "video 1" 320. Such an association illustrates the idea of the present invention about association of the contents of different types. At the same time, content "video 1" 320 may be further associated with the other contents of different type, e.g. "audio 2" 330, "audio 3" 340, etc. The type of content "music playlist" 350, which is also associated with content "video 1" 320, may be considered as a separate type of the content corresponding to the group of contents of type "music". In turn, contents "audio 1" 310 and "audio 3" 340 may be associated with content "image 1" 360 and content "video 1"

320. In this example, if the user selects content “audio 3” and requests the recommender to recommend the media content of type different from type “audio”, the recommender may recommend contents “image 1” 360 and “video 1” 320 because they are associated with the user-selected content “audio 3” 340.

5 With reference to Fig. 4, an example of media contents used at different time in the system is shown. “Media content 1” 410 was used in the system from time T11 (411) till time T12 (412), “media content 2” 420 – from time T21 (421), “media content 3” 430 – from time T31 (431). Contents 410, 420 and 430 have different time lengths for their usage. The usage of content 410 was started earlier than the usage of content 420, though this
10 difference in time (T21-T11) is much less than the duration (412-421) of the simultaneous usage of contents 410 and 420. The identifying means 120 may be arranged to provide a starting time, ending time, time of simultaneous usage of the contents to the associating means 210 for including said time information in the corresponding meta-data. The associating means may be arranged to estimate a ratio between the duration of simultaneous
15 usage (412-421) of the corresponding contents and the time difference (T21-T11) or difference of times when the use of corresponding contents ends. In one example, the associating means may be arranged to ignore the simultaneous usage of the contents and the respective meta-data may not be established if the duration of simultaneous usage of them is much smaller than their usage non-overlapping in time. For example, the duration (412-431)
20 of simultaneous usage of contents 410 and 430 is rather small with respect to the duration of their usage non-overlapping. The associating means may include a value of said estimated ratio in the respective meta-data. In another example, the rating means may rate the association of contents based on said ratio. For instance, the association of contents 410 and 420 may be rated to be higher than the association of contents 410 and 430 in view of the
25 considerations above.

 In one of the embodiments of the present invention, the selection means 230 may enable the user to modify the meta-data in the system. Of course, an appropriate user interface including input means, e.g. a keyboard, a mouse, a touch-screen, speech recognition means, etc. may be provided, and the output means 240 may be arranged to present the meta-
30 data to the user via, for instance, a display device, audio reproduction means etc.

 The identifying means, associating means, selection means and rating means may be implemented by using a microprocessor (not shown) coupled to a random access memory and a read-only memory (ROM) storing a program which, when executed by said microprocessor, can perform functions of said means as described above. The storage means

220 may be realized with said ROM. The media content may be stored locally in the system or downloaded from an external source by means of suitable arranged data receiving means (not shown). The realization of such a microprocessor system with corresponding internal and external circuits will be apparent to the person skilled in the art and need not be

discussed herein.

With reference to Fig. 5, the method of the present invention describing the operation of the system of the present invention is shown. According to the method of operating with different types of media content, the concurrent usage of the first content and second contents of different types is identified in step 510, wherein the relationship of said contents is not known in the system. In step 520, said first and second contents are associated as being related by their simultaneous user's usage. For instance, the user may watch a slide show of pictures on the display screen together with a certain song being played by the CD player in the system, or the user may often listen to some songs when the user would like to download certain pictures. Such contents being used by the user simultaneously are associated. Embodiments of the method, which correspond to the above-described embodiments of the system of the present invention, may be envisaged.

The various program products may implement the functions of the system and method of the present invention and may be combined in several ways with the hardware or located in different devices. Variations and modifications of the described embodiment are possible within the scope of the inventive concept. Thus, for example, the use of the verb 'to comprise' and its conjugations does not exclude the presence of elements or steps other than those defined in a claim. The invention can be implemented by means of hardware comprising several distinct elements, and by means of a suitably programmed computer. In the device claim enumerating several means, several of these means can be embodied by one and the same item of hardware.

A 'computer program' is to be understood to mean any software product stored on a computer-readable medium, such as a floppy-disk, downloadable via a network, such as the Internet, or marketable in any other manner.

CLAIMS:

1. A system for operating with different types of media content, the system being arranged to enable a user to use a first content of a first type, characterized in that the system comprises:
 - identifying means for identifying that the user concurrently uses a second
 - 5 content of a second type, said second content being unrelated with the first content, and
 - associating means for associating said second content with the first content.
2. The system of claim 1, further comprising storage means arranged to store meta-data comprising information pertaining to said associated first and second content.
- 10 3. The system of claim 1, further comprising selection means arranged to select the content.
4. The system of claims 2 and 3, wherein said selection means are further
- 15 arranged to identify the first content upon selection of the associated second content and/or to identify the second content upon selection of the associated first content, using said information stored in the meta-data.
5. The system of claim 4, wherein said selection means are further arranged to
- 20 function as a recommender for recommending the associated first or second content upon a user-operable selection of one of said associated second and first content, respectively, using said selection means.
6. The system of claim 4, further comprising output means arranged to
- 25 simultaneously output said associated first and second content.
7. The system of claim 2 and 3, wherein said selection means are further arranged to user-operably modify said meta-data.

8. The system of claim 1, wherein said identifying means is arranged to identify a user's usage of a third content of a second or other type, said usage being concurrent to said user's usage of the first content, and said third content being unrelated with the first content, and wherein said associating means is arranged to associate said third and first content, the
5 system further comprising rating means arranged to rate said association of the first content with the second content and/or with the third content.
9. The system of claim 1, comprising a plurality of devices, each device including output means arranged to output at least one type of the media content, and/or input
10 means arranged to obtain at least one type of the media content.
10. The system of any one of the preceding claims, wherein said first and second content correspond to video and audio content.
- 15 11. A method of operating with different types of media content, the method comprising a step of identifying a user's usage of a first content of a first type, characterized in that the method further comprises
- a step of identifying that the user concurrently uses a second content of a second type, said second content being unrelated with the first content, and
 - 20 - a step of associating said second content with the first content.
12. A computer program product enabling a programmable device, when executing said computer program product, to function as the system as defined in claim 1.

1/2




FIG. 1




FIG. 2

2/2




FIG. 3




FIG. 4




FIG. 5